

Page 1/10

Safety data sheet

according to UK REACH

Printing date 25.11.2025 Version number 1 Revision: 25.11.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: Photoluminescent Pigments PURPLE (S) 25µm to 35µm
- Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use SU21 Consumer uses: Private households / general public / consumers
- · Application of the substance / the preparation : Pigment
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

STARDUSTCOLORS SAS

ZA de Tesan

30126 St Laurent des Arbres

FRANCE

Tel: +33 466 50 61 66

Email: info@stardustcolors.com Web: www.stardustcolors.com

Emergency telephone number:

France (INRS 24h/24) - Tel: +33 (0)1 45 42 59 59

Ireland - Tel: 00 353 1 8092568 - 00 353 1 8379964 (24h/24) EU Tel: 112

Belgium - Brüssel: +32 070/245 245

UK: Call NHS 999 in a medical emergency. If you urgently need medical help or advice but it's not a life-threatening situation, call 111 (24/7). The NHS 111 number is currently only available in certain areas. If you're outside of these areas, you should call NHS Direct on 0845 4647

Swiss Toxicological Information Centre (Zürich): +41 44 251 51 51 / www.toxi.ch.

SECTION 2: Hazards identification

· Classification of the substance or mixture



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H335 May cause respiratory irritation.

- · Label elements
- · GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

(Contd. on page 2)



Page 2/10

Safety data sheet

according to UK REACH

Printing date 25.11.2025 Version number 1 Revision: 25.11.2025

Trade name: Photoluminescent Pigments - PURPLE (S) - 25µm to 35µm

(Contd. of page 1)

· Hazard pictograms





· Signal word Danger

Hazard-determining components of labelling:

calcium oxide

· Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Other hazards

The mixture shall not contain substances listed in accordance with Article 59(1) R.E.A.C.H as having endocrine disrupting properties, or be recognised as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 in a concentration equal to or greater than 0.1%.

· Results of PBT and vPvB assessment

- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · Mixtures
- · **Description:** Preparation: composed of the substances listed below.

(Contd. on page 3)



Page 3/10

Safety data sheet

according to UK REACH

Printing date 25.11.2025 Version number 1 Revision: 25.11.2025

Trade name: Photoluminescent Pigments - PURPLE (S) - 25µm to 35µm

(Contd. of page 2)

· Dangerous	components:
-------------	-------------

= 1119111111111111111111111111111111111		
CAS: 1305-78-8 EINECS: 215-138-9 RTECS: EW 3100000	calcium oxide ⇔ Eye Dam. 1, H318; ♦ Skin Irrit. 2, H315; STOT SE 3, H335	50-100%
CAS: 1344-28-1 EINECS: 215-691-6 RTECS: BD 1200000	aluminium oxide	25-50%
CAS: 1308-96-9 EINECS: 215-165-6	europium(III) oxide	≤2.5%
CAS: 1313-97-9 EINECS: 215-214-1	neodymium oxide	≤2.5%
CAS: 7631-86-9	silicon dioxide, chemically prepared	<1.0%

· SVHC Not applicable

EINECS: 231-545-4

· Additional information: For the wording of the listed risk phrases, refer to section 16.

SECTION 4: First aid measures

- · Description of first aid measures
- After inhalation:

In case of unconsciousness place patient in a stable laying down side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not induce vomiting; call for medical help immediately.
- · Most important symptoms and effects, both acute and delayed :

No further relevant information is available.

· Indication of any immediate medical attention and special treatment needed :

No further relevant information is available.

SECTION 5: Firefighting measures

- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · Special hazards arising from the substance or mixture : No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

(Contd. on page 4)



Page 4/10

Safety data sheet

according to UK REACH

Printing date 25.11.2025 Version number 1 Revision: 25.11.2025

Trade name: Photoluminescent Pigments - PURPLE (S) - 25µm to 35µm

(Contd. of page 3)

SECTION 6: Accidental release measures

- · Personal precautions, protective equipment and emergency procedures : Avoid formation of dust.
- · For non-emergency personnel No other relevant information available.
- · For emergency responders No other relevant information available.

· Environmental precautions:

Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow the product to enter sewers/ surface water or ground water.

- · Methods and material for containment and cleaning up: Ensure adequate ventilation.
- Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protective equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · Precautions for safe handling: No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Specific end use(s): No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Control parameters
- Ingredients with limit values that require monitoring at the workplace:

CAS: 1305-78-8 calcium oxide (50-100%)

WEL (Great Britain) Short-term value: 4* mg/m³

Long-term value: 2 1* mg/m³

*respirable fraction

CAS: 1344-28-1 aluminium oxide (50-100%)

WEL (Great Britain) Long-term value: 10* 4** mg/m³ *inhalable dust **respirable dust

(Contd. on page 5)



Page 5/10

Safety data sheet

according to UK REACH

Printing date 25.11.2025 Version number 1 Revision: 25.11.2025

Trade name: Photoluminescent Pigments - PURPLE (S) - 25µm to 35µm

(Contd. of page 4)

· Additional information:

The most current valid lists have been used as a basis for the production of this document.

- · Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from food, beverages and petfood.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid all contact with the skin.

Avoid contact with the eyes and skin.

- · Respiratory protection: No special measures required.
- · Hand protection



Protective gloves

- · Gloves material: Nitrile rubber, NBR
- · Eye/face protection



Tightly sealed goggles

· Body protection:



Protective work clothing

SECTION 9: Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information

Physical stateForm:Colour:SolidPowderWhite

Odour: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Not determined.

 \cdot Boiling point or initial boiling point and boiling

range Not determined.
• Flammability Not determined.

(Contd. on page 6)



Page 6/10

Safety data sheet

according to UK REACH

Printing date 25.11.2025 Version number 1 Revision: 25.11.2025

Trade name: Photoluminescent Pigments - PURPLE (S) - 25µm to 35µm

(Contd. of page 5)

· Lower and upper explosion limit

Lower: Not determined.
 Upper: Not determined.
 Flash point: Not applicable.
 Auto-ignition temperature: Not applicable.
 Decomposition temperature: Not determined.

• **pH** Mixture is non-polar/aprotic.

· Viscosity:

Kinematic viscosity
Kinematic:
Not applicable.
Dynamic:
Not applicable.
Not applicable.

· Solubility

· water: Insoluble.

Partition coefficient n-octanol/water (log value)
 Vapour pressure:
 Not determined.
 Not applicable.

· Density and/or relative density

· Density at 20 °C: >1 g/cm³

Relative density: Not determined.
 Bulk density: >1,000 kg/m³
 Vapour density: Not applicable.

Other information:

Important information on protection of health and environment, and on safety.

· **Ignition temperature**: Product is not self igniting.

• **Explosive properties:** Product does not present an explosion hazard.

· Solvent content:

· COV (USA): 0.00 %

· Change in condition

· Evaporation rate : Not applicable.

Information with regard to physical hazard classes

Not classified as hazardous Explosives · Flammable gases Not classified as hazardous · Aerosols Not classified as hazardous · Oxidising gases Not classified as hazardous · Gases under pressure Not classified as hazardous · Flammable liquids Not classified as hazardous · Flammable solids Not classified as hazardous · Self-reactive substances and mixtures Not classified as hazardous · Pyrophoric liquids Not classified as hazardous · Pyrophoric solids Not classified as hazardous

(Contd. on page 7)



Page 7/10

Safety data sheet

according to UK REACH

Printing date 25.11.2025 Version number 1 Revision: 25.11.2025

Trade name: Photoluminescent Pigments - PURPLE (S) - 25µm to 35µm

(Contd. of page 6)

· Self-heating substances and mixtures

Not classified as hazardous

· Substances and mixtures, which emit flammable

gases in contact with water

Oxidising liquids

Oxidising solids

Organic peroxides

Corrosive to metals

Desensitised explosives

Not classified as hazardous

Not classified as hazardous

Not classified as hazardous

Not classified as hazardous

SECTION 10: Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions : No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

CAS: 1344-28-1 aluminium oxide

Oral LD50 >5,000 mg/kg (rat)

CAS: 7631-86-9 silicon dioxide, chemically prepared

Oral LD50 5,000-10,000 mg/kg (rat)

Dermal LD50 >5,000 mg/kg (rat)

>5,000 mg/kg (rabbit)

Inhalative LC50/4 h >2,000 mg/l (rat)

- · Primary irritant effect:
- · On the skin: Causes skin irritation.
- · On the eyes: Causes serious eye damage.
- · STOT-single exposure May cause respiratory irritation.
- · Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

(Contd. on page 8)



Page 8/10

Safety data sheet

according to UK REACH

Printing date 25.11.2025 Version number 1 Revision: 25.11.2025

Trade name: Photoluminescent Pigments - PURPLE (S) - 25µm to 35µm

(Contd. of page 7)

SECTION 12: Ecological information

- · Toxicity
- · Aquatic toxicity:

CAS: 1344-28-1 aluminium oxide

LC50 48h 14.6 mg/l (fish)

EC50 48h 38.2 mg/l (daphnia)

CAS: 7631-86-9 silicon dioxide, chemically prepared

EC50 >1,000 mg/kg (daphnia)

LC50 96h 10,000 mg/l (fish)

EC50 72h >10,000 mg/l (Algae)

EC50 96h >10,000 mg/l (fish)

EC50 24h >1,000 mg/l (daphnia)

- · Persistence and degradability: No further relevant information available.
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- · Other adverse effects: No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · Waste treatment methods
- · Recommendation :



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

(Contd. on page 9)



Page 9/10

Safety data sheet

according to UK REACH

Printing date 25.11.2025 Version number 1 Revision: 25.11.2025

Trade name: Photoluminescent Pigments - PURPLE (S) - 25µm to 35µm

(Contd. of page 8)

SECTION 14: Transport information

· UN number or ID number

· DOT, ADR, IMDG, IATA none

· UN proper shipping name

· ADR, IMDG, IATA none

· Transport hazard class(es)

· ADR, ADN, IMDG, IATA

· Class none

· Packing group

· ADR, IMDG, IATA none

Environmental hazards: Not applicable. Special precautions for user Not applicable.

· Maritime transport in bulk according to IMO

instruments Not applicable.

· UN "Model Regulation": none

SECTION 15: Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- **Poisons Act**
- · Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

Reportable poisons

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation.

H318 Causes serious eye damage.

(Contd. on page 10)



Page 10/10

Safety data sheet

according to UK REACH

Printing date 25.11.2025 Version number 1 Revision: 25.11.2025

Trade name: Photoluminescent Pigments - PURPLE (S) - 25µm to 35µm

(Contd. of page 9)

H335 May cause respiratory irritation.

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

– UK –